



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

- Transitions parallel port, two USB ports, VGA, PS/2 keyboard/mouse, IDE and floppy signals from CompactPCI® J3, J4 and J5 connectors to standard I/O connectors
- Provides one DB-25 parallel port connector
- Provides enhanced IDE 40-pin connector
- Provides 34-pin floppy disk drive connector
- Provides two standard USB connectors
- Provide one standard VGA connector
- Provides one standard combined PS/2 keyboard/mouse connector
- IEEE 1101.11 compliant
- CompactPCI Rev. 2.1 compliant
- 6U height, 80 mm minimum depth

**INTRODUCTION** — The VMIACC-0580 is designed to be used in conjunction with the VMICPCI-7757 single-board computer (SBC). The VMIACC-0580 mounts in the rear transition area of the backplane and provides access to the VGA, PS/2, USB, enhanced IDE, floppy and parallel port by way of the J3, J4 and J5 connectors.

The CompactPCI J3, J4 and J5 connectors carry all associated signals from the 6U front mount SBCs through the backplane to the VMIACC-0580 J3, J4 and J5 connectors (see Figure 1).

**HEADERS AND CONNECTORS** — The parallel port uses a standard DB-25 connector. The USB ports are standard USB connectors. The IDE and floppy are standard 40- and 34-pin header connectors respectively. IDE and floppy cabling should be limited to a maximum of 18 inches. The VGA is a 15-pin high-density D-subminiature connector. The keyboard and mouse use a 6-pin DIN-type connector.

## PHYSICAL/ENVIRONMENTAL

**Physical Dimensions:** 6U single Eurocard format, single slot

Height: 9.2 in. (233.4 mm)

Depth: 3.15 in. (80 mm)

Thickness: 0.8 in. (20.3 mm)


**Power Requirements:** Power for the VMIACC-0580 is supplied through the J3, J4 and J5 connectors on the CompactPCI backplane

**Temperature Range:** 0 to 65 °C operating, forced air cooling required

**Relative Humidity Range:** 10 to 90 percent, noncondensing

## TRADEMARKS

The VMIC logo is a registered trademark of VMIC. CompactPCI and PICMG are registered trademarks of PCI Industrial Computer Manufacturers' Group. Other registered trademarks are the property of their respective owners.



Ordering Options							
March 24, 200 800-800580-000 A	A	B	C	-	D	E	F
VMIACC-0580	-	0	0	0	-		
ABC = 000 (Options reserved for future use)							
For Ordering Information, Call: 1-800-322-3616 or 1-256-880-0444 • FAX (256) 882-0859 E-mail: <a href="mailto:info@vmic.com">info@vmic.com</a> Web Address: <a href="http://www.vmic.com">www.vmic.com</a> Copyright © April 2003 by VMIC Specifications subject to change without notice.							






Figure 1. VMIACC-0580 and Rear I/O with VMICPCI-7757



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)