

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *VWR / Shel Lab 1535* at our website: ***Click HERE***

35823-204



VWR General Purpose Incubators 1500 Series

VWR's General-Purpose Laboratory Incubators provide top-of-the-line performance. Designed with your samples in mind, they offer safe, dependable incubation of specimens.

- Exclusive Hybrid Heating System
- Microprocessor Temperature Control
- Easy Keypad Set and Calibration
- Independent Over-Temperature Protection
- Exclusive Access Port
- Heated Outer Door
- Interior Electrical Outlet
- Stainless Steel Interior and Shelves
- VWR 24-Month Warranty

Exclusive hybrid heating system

Incorporating heating elements in all five walls, the exclusive hybrid heating system creates a warm air jacket around the inner chamber, guaranteeing superior temperature uniformity without hot spots. The system also provides the best of convection and gravity—through temperature uniformity—without the disadvantages of samples drying and cross contamination.

Five sided heating

The heating elements, located outside the chamber's interior (bottom, back, both sides and door), ensure exceptional temperature uniformity and recovery. No need to worry about heater element damage from spill either—the inner chamber is completely sealed and the low-watt density heating elements are safely isolated from the work chamber.

Microprocessor temperature control


The controls of the General Purpose Incubator 1500 Series are PID digital setpoint, digital read display. The keypad operation is user friendly and offers the ability to calibrate the display to a reference thermometer. In addition, a user adjustable over-temperature safety controller is standard. In the unlikely event that the main controller fails, the safety controller will take control of the unit, protecting the samples and the unit itself. Other safety features include a circuit breaker, tempered safety glass door, no chamber heating elements and deburred shelves.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

35823-259



Hybrid Heating System



Other quality features

1500 Series Incubators are constructed with a stainless steel interior and shelves. The exterior has a powder coated paint finish. All units are stackable without the need for spacer racks. A new vapor tight interior electrical outlet is CUL specified and approved. Units feature through-wall access ports for chart recorder use and adjustable leveling feet for uneven surfaces. Shelves are adjustable in 1/2" increments. The Model 1535 is ideal for under-the-counter applications. VWR 24-month warranty on parts and service is standard.

Specifications:
Temperature Range: 5° above ambient to 60°C
Uniformity: ±0.25° at 37°C

115V models are CSA and CUL approved, CE certification.

Cat. No.	Model	Cap. cu. ft.	Electrical	Interior, W x D x H, in.	Exterior, W x D x H, in.	No. of Shelves	Ship Wt., lbs.	Each	
35823-10 2	1525	1.95	115V, 360 W	15 x 15 x 1 5	21 x 21 x 2 5	2	125	$1535.04
35823-10 3	1525	1.95	230V, 360 W	15 x 15 x 1 5	21 x 21 x 2 5	2	125	1535.04
35823-15 7	1535	6.67	115V, 600 W	24 x 24 x 2 0	30 x 30 x 3 2	2	207	1993.91
35823-15 8	1535	6.67	230V, 600 W	24 x 24 x 2 0	30 x 30 x 3 2	2	207	1993.91
35823-20 4	1545	6.0	115V, 650 W	20 x 20 x 2 6	25 x 27 x 3 6	3	195	1999.36
35823-20 5	1545	6.0	230V, 650 W	20 x 20 x 2 6	25 x 27 x 3 6	3	195	1999.36
35823-25 9	1555, Side-by-Sid e	11.25	115V, 750 W	36 x 20 x 2 7	42 x 27 x 3 7	6	410	3518.00
35823-26 0	1555, Side-by-Sid e	11.25	230V, 750 W	36 x 20 x 2 7	42 x 27 x 3 7	6	410	3518.00
35823-30 0	1565, Over/Unde r	12.0	115V, 1200 W	19¼ x 20 x 26 (each)	42 x 27 x 7 2	6	400	3605.40
35823-30 1	1565, Over/Unde r	12.0	230V,1200 W	19¼ x 20 x 26 (each)	42 x 27 x 7 2	6	400	3605.40

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP