

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *VWR 1565* at our website: ***Click HERE***

CHOOSE CATALOG

- 2009-2011 VWR Catalog
- Chemical Catalog
- Chromatography Catalog
- Clinical Catalog
- Furniture Catalog
- Lab Animal Science Catalog
- Production Supplies Catalog
- Safety Catalog
- VWR Collection Catalog
- Request a Catalog

VWR PROGRAMS

- Alternative Energy
- BioTech
- Chemicals
- Chromatography
- Controlled Environment
- Equipment & Instruments
- Food & Beverage
- Furniture
- Glassware
- Government
- Healthcare
- Histology
- Lab Animal Science
- Life Science
- Liquid Handling
- Medical Device
- Nanotechnology
- New Lab Set Up
- Production Supplies
- Safety
- University
- Validation & Calibration Services

Select A Category > Research Equipment > Incubators

# VWR Signature™ General-Purpose Incubators

**Supplier:** VWR International



- Exclusive Hybrid Heating System
- Microprocessor Control
- Easy Keypad Set and Calibration
- Over-Temperature Protection
- Access Port
- Heated Outer Door
- Interior Electrical Outlet
- Stainless Steel Interior and Shelves
- VWR Two-Year Limited Parts and Labor Warranty

Heating elements in all three walls, bottom, and door create a warm air jacket around the inner chamber to guarantee superior temperature uniformity with no hot spots. Warm air jacket design also provides quick temperature recovery—and there's a full-length inner glass door for viewing specimens without disturbing the chamber atmosphere. No need to worry about heater element damage from spills either—the inner chamber is tack-welded, and the low-watt density heating elements are safely isolated from the work chamber.

Microprocessor controlled for easy keypad set and calibration. Temperature display may be calibrated to match a secondary thermometer. For over-temperature protection, a second, independent safety controller can be preset and has visual alarm when activated. All units are stackable without the need for spacer racks. Features through-wall access port for chart recorder. A UL-approved, vapor-tight electrical outlet is inside the sealed chamber. Adjustable leveling feet compensate for uneven surfaces. Shelves adjustable in 1.3cm ($^1/_2$") increments.

All models are UL and C-UL listed. CE marked. 115V models are also CSA certified.

| | |
|---|---|
| Temperature Range: | 5° above ambient to 60°C |
| Uniformity: | ±0.25° at 37°C |

**Ordering Information**: VWR offers validation services including IQ, OQ, and PQ protocol development and execution (in US only); visit vwr.com or call 1-888-793-2300 for more details.

ADD TO BASKET VIEW SHOPPING BASKET

| Model | Volume, L (cu. ft.) | Electrical | Interior Dimensions, W x D x H, cm (in.) | Exterior Dimensions, W x D x H, cm (in.) | No. of Shelves | Ship. Wt., kg (lbs.) | VWR Catalog# | Info | Unit | Price | Quantity |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1525 | 55 (2) | 115V, 360W | 38.1 x 38.1 x 38.1 (15 x 15 x 15) | 53.3 x 53.3 x 63.5 (21 x 21 x 25) | 2 | 87.5 (193) | 35823-102 | | Each | $2,290.79 | 0 |
| 1525 | 55 (2) | 208/230V, 360W | 38.1 x 38.1 x 38.1 (15 x 15 x 15) | 53.3 x 53.3 x 63.5 (21 x 21 x 25) | 2 | 87.5 (193) | 35823-103 | | Each | $2,567.17 | 0 |
| 1535 | 189 (6.7) | 115V, 600W | 61 x 61 x 50.8 (24 x 24 x 20) | 76.2 x 76.2 x 81.3 (30 x 30 x 32) | 2 | 112 (247) | 35823-157 | | Each | $2,993.98 | 0 |
| 1535 | 189 (6.7) | 208/230V, 600W | 61 x 61 x 50.8 (24 x 24 x 20) | 76.2 x 76.2 x 81.3 (30 x 30 x 32) | 2 | 112 (247) | 35823-158 | | Each | $3,323.32 | 0 |
| 1545 | 164 (5.8) | 115V, 650W | 50.8 x 50.8 x 66 (20 x 20 x 26) | 63.5 x 68.6 x 91 (25 x 27 x 36) | 3 | 111.6 (246) | 35823-204 | | Each | $2,876.43 | 0 |
| 1545 | 164 (5.8) | 208/230V, 650W | 50.8 x 50.8 x 66 (20 x 20 x 26) | 63.5 x 68.6 x 91 (25 x 27 x 36) | 3 | 111.6 (246) | 35823-205 | | Each | $3,197.26 | 0 |
| 1555, Side-by-Side | 319 (11.3) | 115V, 750W | 91.4 x 50.8 x 68.6 (36 x 20 x 27) | 106.7 x 68.6 x 94 (42 x 27 x 37) | 6 | 147.4 (325) | 35823-259 | | Each | $4,969.38 | 0 |
| 1555, Side-by-Side | 319 (11.3) | 208/230V, 750W | 91.4 x 50.8 x 68.6 (36 x 20 x 27) | 106.7 x 68.6 x 94 (42 x 27 x 37) | 6 | 147.4 (325) | 35823-260 | | Each | $5,515.42 | 0 |
| 1565, Over/Under | 319 (11.3) | 115V, 1200W | 48.9 x 50.8 x 66 ($19^1/_4$ x 20 x 26) (each) | 63.5 x 68.6 x 183 (25 x 27 x 72) | 6 | 190.5 (420) | 35823-300 | | Each | $5,149.09 | 0 |
| 1565, Over/Under | 319 (11.3) | 208/230V,1200W | 48.9 x 50.8 x 66 ($19^1/_4$ x 20 x 26) (each) | 63.5 x 68.6 x 183 (25 x 27 x 72) | 6 | 190.5 (420) | 35823-301 | | Each | $5,727.96 | 0 |

Accessories

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Extra Shelf for 1535, 58.4 x 58.4 cm (23 x 23") | — | — | — | — | — | 35823-429 | Each | $138.16 | 0 |
| Extra Shelf for 1545/1565, 48.3 x 48.3 cm (19 x 19") | — | — | — | — | — | 35823-462 | Each | $138.15 | 0 |
| Extra Shelf for 1555, 39.8 x 47.6 cm ($15^1/_2$ x $18^3/_4$") | — | — | — | — | — | 35823-509 | Each | $138.16 | 0 |
| Qualification Services from VWR | | | | | | | | | |
| IQ/OQ Protocol Documents for **35823-102** | — | — | — | — | — | IOQ35823-102 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-103** | — | — | — | — | — | IOQ35823-103 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-157** | — | — | — | — | — | IOQ35823-157 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-158** | — | — | — | — | — | IOQ35823-158 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-204** | — | — | — | — | — | IOQ35823-204 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-205** | — | — | — | — | — | IOQ35823-205 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-259** | — | — | — | — | — | IOQ35823-259 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-260** | — | — | — | — | — | IOQ35823-260 | Each | $924.00 | 0 |
| IQ/OQ Protocol Documents for **35823-300** | — | — | — | — | — | IOQ35823-300 | Each | $924.00 | 0 |

ADD TO BASKET VIEW SHOPPING BASKET



Copyright© 2010 VWR International, LLC. All Rights Reserved

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP