



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

The Signature Series Air Jacket CO₂ Incubator



The air jacketed CO₂ Incubators feature a slim, lightweight design that minimizes contamination. The 5216 can be operational within hours of installation and is well-suited for multiple users. Three temperature control settings (main chamber, external door and chamber front) minimize condensation and facilitate superior temperature uniformity. This fine tuning capability creates optimal culturing conditions.

Like the other Signature Series models the 5216 is equipped with the VWR copper coated HEPA filtration system.

Unparalleled Controls

A bright, digital keypad for CO₂ and temperature control is highly visible even from across the lab. These intelligent microprocessors constantly monitor and adjust program settings and allow calibration of CO₂ and temperature. The redundant over-temperature safety system helps protect your samples from overheating. A door switch that automatically turns off the gas when the door is opened will help conserve your CO₂ gas.

Temperature Range: Ambient +8°C - 60°C
 Temperature Uniformity: +/-0.4° @ 37°C
 CO₂ Range: 0-20%



Shelf Standards Are Hung Using Key Hole Design



Shelf Slides Are Fully Adjustable



Unique Design Ensures the Shelf Won't Tip After Installation

5216 Interior



Coved Corners for Quick Decontamination

**Install and Remove Shelving Without Tools
 In All VWR Select & Standard CO₂ Incubators**

Cat. No.	Model	Style	No. of Shelves	Exterior W x D x H, in.	Interior W x D x H, in.	Cap. cu. ft.	Shipping Weight lbs.	Price Each
Infrared								
15001-110	5216	Air Jacket, 120V	3	25 x 27 x 38	19 x 20 x 26	5.7	175 lbs	\$2,910.54
14221-482	5216-2	Air Jacket, 220V	3	25 x 27 x 38	19 x 20 x 26	5.7	175 lbs	\$3,150.83



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com