ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *VWR 61161-378* at our website: ***Click HERE***



VWR® Traceable® Hygrometer/Thermometer

RH/Temperature at a glance

Traceable® Hygrometer/Thermometer provides readings instantly. It is ideal for constantly monitoring labs, fume hoods, walk-ins, plant areas, and storage facilities. Large, easy-to-read ½-inch-high LCD digits can be read from 15 feet.

Traceable to NIST

Unit reads 25 to 95% relative humidity and temperature from 32 to 122°F and 0 to 50°C. Resolution is 1% RH and 0.1°. Accuracy is ±2% RH mid-range otherwise ±4% RH. Temperature accuracy is ±1°C (0 to 40°C) otherwise 2°C. To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).

Bench stand and wall mount

Self-contained, stable, and accurate unit requires no adjustment or maintenance. Complete with screw for wall mounting and plastic stand for placing on the bench. Modern design is housed in a rugged ABS plastic case. Supplied with AA battery for 1½ years of always-on operation. Size is 3½ x 5 x ⅞ inches. Weight is 6 ounces.

Description	Cat. No.	Price
VWR® Traceable® Hygrometer/Thermometer	35519-044	$62.14

VWR® Traceable® Jumbo Humidity/Temperature Meter

Ambient and probe temperatures

Unit continuously and simultaneously displays ambient relative humidity and (internal probe and external probe) temperatures in °F or °C, with dual-recall memories. External thermometer probe is supplied with a 10-foot cable. Both sensor and cable perform accurately when under water.

Quick-response sensor

External probe range is –58 to 158°F and –50 to 70°C. Ambient internal probe range is 23 to 122°F and 0 to 50°C. Resolution is 1° and accuracy is ±1°C. Humidity range is 25 to 95%, resolution is 1% RH, and accuracy is ±2% RH mid-range to ±4% RH elsewhere. Fast-response, solid-state sensors show changes in less than 30 seconds. Display is updated once per second. Minimum and maximum memories may be displayed or cleared at any time with the touch of a key. They permit monitoring conditions overnight, on weekends, or for any time period. Jumbo 1⅛-inch display may be read from as far away as 35 feet.

Fulfills CLIA requirements

To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology). Meets federal requirements for CLIA specification 493.1207 for monitoring temperature and humidity. Self-contained, stable, accurate unit requires no adjustment or maintenance. Case is chemical- and shock-resistant ABS plastic. Supplied with flip-open stand, wall mount, and AAA batteries. Size is 4¼ x 4 x ¾ inches. Weight is 5⅜ ounces.



Description	Cat. No.	Price
VWR® Traceable® Jumbo Humidity/Temperature Meter	61161-378	$70.26

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP