ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *VWR WaterSaver VFT-0266-00* at our website: ***Click HERE***



ittings and Faucets

Deck-Mounted Pure Water Gooseneck Faucets, WaterSaver Faucet

Deck-mounted pure water faucets feature tin-lined, chrome-plated brass or all-PVC construction. Tin-lined faucets are provided with self-closing control and 6mm (¼") NPT tin-lined tail piece on inlet. All-PVC faucet is provided with 1.3cm (½") IPS PVC shank, locknut, and washer on inlet.

CSA certified. Comply with ANSI/ASME A112.18.1M.

Tin-Lined Brass	15.2 cm (6")	L681	59382-090	Ea/ 181.54
Tin-Lined Brass	20.3 cm (8")	L681-8	VFT-0585-00	Ea/ 221.59
All-PVC	15.2 cm (6")	L7611WSA	VFT-0572-00	Ea/ 232.00

Accessories

Aspirator	BO127S	VF-0510-00	Ea/ 50.90
Aerator	BO055	VFT-0532-00	Ea/ 11.10

Faucet Accessories, Epoxy-Coated, WaterSaver Faucet

Aerator has a 9.5mm (⅜") IPS male inlet. Aspirator has a 9.5mm (⅜") IPS male inlet.

Aerator	CTBO055	59382-096	Ea/ 11.10
Aspirator	CTBO127S	59382-098	Ea/ 50.90

Faucet Accessories, WaterSaver Faucet

Chrome-plated brass faucet accessories include an aerator and an aspirator faucet outlet.

Aspirator	BO127S	VF-0510-00	Ea/ 50.90
Aerator	BO055	VFT-0532-00	Ea/ 11.10

Swinging/Fixed Gooseneck Coupling, WaterSaver Faucet

Designed for use with all standard goosenecks. Coupling replaces washer in a fixed gooseneck faucet, converting it to a swing faucet. Useful for double tub sinks. With 1cm (⅜") IPS male threads.

Description	Supplier No.	Cat. No.	Price
Swinging/Fixed Gooseneck Coupling B0556COMP		VFT-0556-00	Ea/ 24.32

Gooseneck Infrared Faucets, WaterSaver Faucet

Sensor-operated automatic faucets have a deck- or panel-mounted chrome-plated gooseneck assembly. Sensor assembly includes infrared sensor with adjustable range, 24V solenoid valve, plug-in 120/240V transformer, and connection box with modular connections. Sensor adjustment range is 10.2–45.7cm (4–18"). Available with a thermostatic mixing valve (TMV), which delivers water at a preset temperature by mixing hot and cold water. Rigid spread gooseneck measures 15.2cm (6").

Description	Supplier No.	Cat. No.	Price
Deck-Mounted, with TMV	L4511-303	VFL-4511-303	Ea/ 780.70
Deck-Mounted	L4511	VFL4511	Ea/ 487.94
Panel-Mounted, with TMV	L4511PM-303	VFL-4511PM-303	Ea/ 837.20
Panel-Mounted	L4511PM	VFL-4511PM	Ea/ 544.48

High-Purity Polypropylene Faucets, Scientific Plastics

Ideal for the transportation of deionized water, distilled water, or other liquids where a high degree of purity is required. Faucets feature excellent chemical resistance and are made from pure unpigmented virgin Type I homopolymer, using no anti-oxidants, pigments, metallics, or other foreign substances. The smooth, nonporous polypropylene surfaces do not attract contaminants or provide breeding places for bacteria and other biological impurities. Spread gooseneck measures 15.2cm (6"). Maximum temperature: 99°C (210°F).

Welded Valve Faucet	Deck-Mounted SPF-10STD	89013-980	Ea/ 398.30
Welded Valve Faucet with Integral Vacuum Breaker	Deck-Mounted SPF-10VB	89013-982	Ea/ 484.10
Welded Valve Faucet	Wall-Mounted SPF-20STD	89013-984	Ea/ 422.10
Welded Valve Faucet with Integral Vacuum Breaker	Wall-Mounted SPF-20VB	89013-986	Ea/ 499.40
Threaded Valve Faucet	Deck-Mounted SPF-30STD	89013-988	Ea/ 457.10
Threaded Valve Faucet with Integral Vacuum Breaker	Deck-Mounted SPF-30VB	89013-990	Ea/ 515.80
Threaded Valve Faucet	Wall-Mounted SPF-40STD	89013-992	Ea/ 471.00
Threaded Valve Faucet with Integral Vacuum Breaker	Wall-Mounted SPF-40VB	89013-994	Ea/ 532.00
Recirculating Faucet	Deck-Mounted SPRF-1	89013-996	Ea/ 830.00

Panel-Mounted Gooseneck Mixing Faucets, with Four-Arm Handles, WaterSaver Faucet

Panel-mounted mixing faucets are made of chrome-plated cast brass and provided with a serrated hose end, four-arm handles, and 1cm (⅜") IPS inlet shanks, locknuts, and washers. Faucets are available with 15.2cm (6") spread gooseneck, with or without a vacuum breaker. Faucet valves are self-contained renewable units with replaceable stainless steel seats.

CSA certified. Comply with ANSI/ASME A112.18.1M.

Swing Faucet with Vacuum Breaker	L512VB-WS	VFL512VB-WS	Ea/ 253.01
Swing Faucet	L512WS	VFL512WS	Ea/ 206.07
Rigid Faucet	L511WS	VFT-0354-06	Ea/ 206.07
Rigid Faucet with Vacuum Breaker	L511VB-WS	VFT-0354-6V	Ea/ 250.18

Panel-Mounted Gooseneck Mixing Faucets, with Nylon Hooded Handles, WaterSaver Faucet

Panel-mounted mixing faucets are made of white epoxy/polyester hybrid powder-coated cast brass. They are provided with a serrated hose end, black nylon hooded handles, and 1cm (⅜") mounting shanks, locknuts, and washers. Horizontal inlets are on 15.2cm (6") centers and gooseneck spread is 15.2cm (6"). Available with or without a vacuum breaker. Faucet valves are self-contained renewable units with replaceable stainless steel seats.

CSA certified. Comply with ANSI/ASME A112.18.1M.

Swing Faucet with Vacuum Breaker	CT1714VB-WSA	VFCT1714VB-WSA	Ea/ 235.27
Swing Faucet	CT1714WS	VFT-1714-09	Ea/ 188.31

58 | VWR Furniture | designed • delivered • installed

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP