

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

KINGS




FIGURE 2




FIGURE 9

K-LOC

Cat. No.	Fig.	Description	Dimensions A	Dimensions B	Finish	
STRAIGHT PLUG—WEATHERPROOF K-GRIP, JR. CONSTRUCTION						
1075-1	2	Crimp contact	1 37 (34.8)	0.27 (6.9)	TR-5	
RECEPTACLES						
1074-1	9	Front Mounting, Bulkhead	0.61 (15 5)	0.40 (10.2)	TR-5	

Note: TR-5 Tarnish & Corrosion Resistant Finish.




FIGURE 6




FIGURE 27




FIGURE 28




FIGURE 31




FIGURE 33




FIGURE 62





FIGURE 66

BNC K-GRIP, JR. CONSTRUCTION

Cat. No.	Fig.	Description	Dimensions A	Dimensions B	Cable Group	
PLUGS, TR-5 TARNISH AND CORROSION RESISTANT FINISH						
KC-59-152	6	Crimp contact	0 94 (23.9)	0 56 (14.2)	B1	
BULKHEAD RECEPTACLES, TR-5 TARNISH AND CORROSION RESISTANT FINISH						
KC-79-131	27	Front mount	1.19 (30.2)	0.47 (11,9)	—	
KC-79-179	28	Rear mount	1.04 (26.4)	0.73 (18 5)	—	
KC-79-197	31	Gold contact, front mount isolated ground	1.06 (26.9)	0 52 (13.2)	—	
KC-79-150	33	Isolated ground, rear mount	1.06 (26.9)	0.73 (18 5)	—	



BNC PLUGS K-GRIP, JR. CONSTRUCTION

Cat. No.	Description	Dimensions A	Dimensions B	Cable Type	
TR-5 TARNISH & CORROSION RESISTANT FINISH					
KC-59-294	Crimp & captive contact	27.9	14.2	59U Beldon 8281	
KC-59-299	Crimp & captive contact	27.9	14.2		

*NOTE: Dimensions are given in mm.





FIGURE 27



MTG. HOLE B

BNC BULKHEAD RECEPTACLES

Cat. No.	Description	Dimensions A	Dimensions B	Dimensions C	Dimensions D	
TR-5 TARNISH & CORROSION RESISTANT FINISH						
KC-79-35	Front Mount	26.9	11.9	12.7	12.7	
SILVER FINISH						
UG-1094/U	Front Mount	26.9	11.9	12.7	12.7	

*NOTE: Dim. are given in mm.




FIGURE 62

BNC ADAPTERS WITHIN SERIES

Cat. No.	Adapter Ends	Dimensions A	Dimensions B	Dimensions C	Dimensions D	
SILVER FINISH, FIG. 62						
UG-914/U	Jack/Jack	32 5	11.2	—	—	

*NOTE: Dimensions are given in mm.

PARTS INDICATED WITH A LEAF ◊ ARE CONSIDERED RoHS JULY 2006 COMPLIANT BASED ON THE MANUFACTURER'S CONFIRMATION AT THE TIME OF PUBLISHING.
PRICES SUBJECT TO CHANGE WITHOUT NOTICE, APPLICABLE TAXES NOT INCLUDED

electro sonic

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP