

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

CLAMPING ELEMENTS | MANUAL
SERIES HK

▶ PRODUCT ADVANTAGES



- **broad range of products**

  For all common profile rail guides
- **Tool-free opening and closing (bi-stable)**

  By turning the clamping lever
- **Maintenance free**

  Up to 50,000 static clamping cycles

▶ THE BEST PRODUCT FOR YOUR APPLICATION

POSIBILIDADES DE USO

- **Tablestaños ser mesa y carros**
- **Ajuste de anchura, topes**
- **Posicionamiento de los aparatos ópticos y platinas**

FURTHER INFORMATION

- **Spacer plate**


  In addition, a spacer plate might have to be ordered as height compensation, depending on the height of the rail carriage (dimension D).
- **Special variants on request, e.g.**

  Operation using DIN 912 Allen screws

  Extended clamping lever

  made of stainless steel

▶ BENEFITS IN DETAIL



1 **Profile rail guide**
- Available for all common profile rail guides

2 **Clamping lever made from plastic**
- Freely adjustable (release by lifting)

3 **Clamping jaw**
- The floating bearingsguarantee symmetrical application of force

4 **Housing**
- chemically nickel plated steel

▶ INFORMATION ON THE SERIES

TECHNICAL DATA

Rail size	12-100 mm
Holding force	1200-2000 N
Fastening torque clamp lever	4-22 Nm
Spring storage	inexistent
PLUS connection	No
Static clamping cycles (B10d value)	up to 50 000
Dynamic braking cycles	not suitable
Operation	manual
Operating temperature	-10 ... +70 [°C]



▶ **Technical Information**
All information just a click away at: www.zimmer-group.de
Find data, illustrations, 3D models and operating instructions for your installation size using the order number for your desired model.
Quick, clear and always up-to-date.

▶ **Selection guide for clamping and braking elements**
Whatever the possible application – here, you'll find the right product.
Easy selection of the right element for any rail-carriage combination: www.zimmer-group.de/de/plt.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP