

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Keysight / Agilent E1469A* at our website: ***Click HERE***

Agilent E1469A
4x16 Relay Matrix Switch

Data Sheet

- **1-Slot, C-size, register based**
- **Connect multiple inputs to multiple outputs**
- **4x16 two-wire switching with a guard or shield**
- **Expand rows/columns to make larger matrixes**
- **Includes QUIC easy-to-use terminal block**
- **Latching relays**



Agilent E1469A

Description

The Agilent Technologies E1469A matrix is a **C-size, 1-slot, register-based VXI module.** This module consists of a 64-channel two-wire relay component card (same component card as the E1460A). A terminal block, which provides 4x16 matrix topology, is included.

The E1469A matrix switches both high and low on each crosspoint. Multiple modules can easily be interconnected with the E1468-80002 daisy-chain cable. The E1468-80002 daisy-chain cable allows quick connect and disconnect of one module from another and is easily attached to expansion connectors on the E1469A terminal blocks. For applications requiring more than 64 crosspoints, the newer E1465/66/67A relay matrixes are recommended unless your application requires the high voltage/power capability and superior crosstalk performance of the E1469A matrix.

Refer to the Agilent Technologies Website for instrument driver availability and downloading instructions, as well as for recent product updates, if applicable.

Agilent Technologies

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Configuration

The E1468-80002 daisy-chain cable allows quick connect and disconnect of one module from another and is easily attached to expansion connectors on the E1468/69A terminal blocks. For a 4x48 matrix, order three daisy-chain cables to interconnect three E1469As. For a 16x16 matrix, order eight daisy-chain cables to interconnect four E1468As. Similarly, to interconnect three E1468As into an 8x24 matrix, order four daisy-chain cables. Check to see whether the higher density E1465/66/67A family is a better fit for your application.

Product Specifications

Input

Maximum voltage (any terminal to any other terminal or chassis):

dc:	220 V
ac rms:	250 V
Peak:	n/a

Maximum current (per channel common, non-inductive):

1 Adc or ac rms (V<30 Vdc/rms), 0.3 Adc or ac rms (V<220 Vdc/rms)

Maximum power:

Per channel:	n/a
Per module:	40 VA

dc

Maximum thermal offset per channel, differential Hi-Lo:	7 µV

Closed channel resistance (per channel):

Initial:	<1.5 Ω (initially)
End of life:	<3.5 Ω

Insulation resistance (between any two points):

≤40° C, ≤95% RH:	5 x 10E8 Ω
≤40° C, ≤65% RH:	n/a
≤25° C, ≤40% RH:	5 x 10E8 Ω

ac

Minimum bandwidth (–3 dB, Z_L=Z_X= 50 Ω):	10 MHz 25 MHz (typical)

Crosstalk (dB, channel-to-channel typical):

<10 kHz:	<–90
<100 kHz:	n/a
<1 MHz:	n/a
<10 MHz:	n/a

Closed channel capacitance:

Hi-Lo:	650 pF
Lo-Chassis:	700 pF

Note: Crosstalk, insulation resistance, and bandwidth specifications are for a single matrix module only. Matrix expansion will degrade these specifications.

General

Minimum relay life:	
No load:	4x10E6 operations
Screw terminal wire size:	18 to 26 AWG (1.2, 0.9, 0.75, 0.6, 0.5 mm)
Bias current:	<0.5 nA/Volt *(at 25° C, 25% RH) (From HI or LO chassis, per group of 16 channels)*

General Specifications

VXI Characteristics

VXI device type:	Register based, A16, slave only
Size:	C
Slots:	1
Connectors:	P1/2
Shared memory:	None
VXI buses:	TTL trigger bus

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Instrument Drivers - See the Agilent Technologies Website (http://www.agilent.com/find/inst_drivers) for driver availability and downloading.

Command module firmware:	Downloadable
Command module firmware rev:	A.04
I-SCPI Win 3.1:	Yes
I-SCPI Series 700:	Yes
C-SCPI LynxOS:	Yes
C-SCPI Series 700:	Yes
Panel Drivers:	Yes
VXI*plug&play* Win Framework:	Yes
VXI*plug&play* Win 95/NT Framework:	Yes
VXI*plug&play* HP-UX Framework:	No

Module Current


	I_{PM}	I_{DM}
+5 V:	0.1	0.1
+12 V:	0	0
–12 V:	0	0
+24 V:	0	0
–24 V:	0	0
–5.2 V:	0	0
–2 V:	0	0

Cooling/Slot


Watts/slot:	5.00
ΔP mm H_2O:	0.08
Air Flow liter/s:	0.42

Ordering Information

Description	Product No.
4x16 Relay Matrix Switch	E1469A
Service Manual	E1469A 0B3
3 yr. Retn. to Agilent to 1 yr. OnSite Warr.	E1469A W01
Daisy Chain Cable Kit	E1468-61601
Extra Terminal Block Assembly, QUIC	E1469-80011




E1469A Terminal Block



Daisy Chain Cable: E1468-80002

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

E1469A Each Crosspoint Switches 2-Wire Hi and Lo



E1469A Circuit Diagram

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Support is available for at least five years beyond the production life of the product. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

Our Promise

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you use Agilent equipment, we can verify that it works properly, help with product operation, and provide basic measurement assistance for the use of specified capabilities, at no extra cost upon request. Many self-help tools are available.

Your Advantage

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and on-site education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

By internet, phone, or fax, get assistance with all your test & measurement needs.

Online assistance:
www.agilent.com/find/assist

Phone or Fax
United States:
(tel) 1 800 452 4844

Canada:
(tel) 1 877 894 4414
(fax) (905) 282 6495

China:
(tel) 800 810 0189
(fax) 1 0800 650 0121

Europe:
(tel) (31 20) 547 2323
(fax) (31 20) 547 2390

Japan:
(tel) (81) 426 56 7832
(fax) (81) 426 56 7840

Korea:
(tel) (82 2) 2004 5004
(fax) (82 2) 2004 5115

Latin America:
(tel) (305) 269 7500
(fax) (305) 269 7599

Taiwan:
(tel) 080 004 7866
(fax) (886 2) 2545 6723

Other Asia Pacific Countries:
(tel) (65) 375 8100
(fax) (65) 836 0252
Email: tm_asia@agilent.com

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2001

Printed in USA September 1, 2001
5965-5595E

Agilent Technologies

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP